

QPLUS



مجموعه کاوش الکترونیک نوتریکا



فعالیت خود را از سال ۱۳۸۷ به عنوان وارد کننده محصولات نظارت تصویری آغاز نموده و در سال ۱۳۹۷ کارخانه ایران نوتریکا در زمینی با وسعت ۲۰۰۰ متر مربع واقع در استان گیلان - منطقه آزاد انزلی احداث گردیده است و همچنین در همان سال با حضور آقای دکتر بانک مشاور رئیس جمهور و رئیس کل مناطق آزاد کشور، جناب آقای دکتر زارع استان دار گیلان و دیگر مقامات ارشد اداری منطقه آزاد انزلی در زمینه تولید دوربین مداربسته و لوازم جانبی به بهره برداری رسید.

شرکت ایران نوتریکا همواره با انجام تحقیقات مختلف تلاش می نماید محصولات خود را بر پایه آخرین دستاوردها و استانداردهای بین المللی تولید، در اختیار مشتریان قرار دهد.



دارای مجوز ، تاییدیه و استاندارد
وزارت صنعت ، معدن و تجارت



دارای مجوز ، پروانه بهره برداری سازمان
منطقه تجاری صنعتی بندر انزلی



دروازه ورود به تجارت الکترونیک
ایران گد



سندیکای تولید کنندگان تجهیزات
فن آوری اطلاعات ایران



دارای خدمات پس از فروش



دارای IMS

اهداف شرکت کاوش الکترونیک نوتریکا



توجه به اصول توسعه پایدار در تولید محصولات و اهتمام به اصولی همچون کیفیت برتر، جلب رضایت مشتریان و نیز رعایت استانداردهای بین المللی در کنار تولید محصولات متنوع جهت تامین نیازهای مختلف مشتریان از جمله مهمترین دلایل موفقیت و دستاوردهای این مجموعه می باشد. می توان گفت این شرکت تنها مجموعه ای در کشور است که می تواند با حجم بالا در ۲۵ گروه محصولات نظارت تصویری را تولید نماید که می تواند خدمات خود را در حوزه های زیر ارائه کند :



انعقاد قرارداد همکاری با شرکت ها و با اشخاص حقوقی جهت اخذ نمایندگی در سراسر کشور
پشتیبانی و خدمات پس از فروش توسط مجرب ترین نیروهای فنی
ارائه محصولات با کیفیت بالا و قیمت مناسب
توسعه و ارائه فنی به مشتریان



تولید و فروش محصولات و ارائه خدمات در کوتاه ترین زمان ممکن
انتخاب به عنوان واحد نمونه صنعتی منطقه آزاد انزلی در ۲ دوره متوالی از جمله افتخارات این شرکت می باشد و همچنین تولید محصولات با استاندارد جهانی و توسعه سهم صادرات در مسیر پیوستن به مسیر جهانی از اهداف و رویکردهای مدیریت شرکت ایران نوتریکا به شمار می رود.



خدمات پس از فروش شرکت ایران نوتریکا

مرکز خدمات پس از فروش ایران نوتریکا با داشتن مهندسين مجرب و توانا و همچنين امکانات و تجهيزات پيشرفته و با دارا بودن بزرگترين انبار قطعه در زمينه تعميرات تخصصی سیستم های حفاظتی می تواند کالاهای مدنظر را در کمترین زمان ممکن عیب یابی و تعمیر نماید و در تمامی شرایط پاسخگو نیاز مشتریان باشد.

ایران نوتریکا جهت رفاه حال مشتریان و همکاران خود اقدام به راه اندازی سامانه اطلاع رسانی نموده که شما با این سامانه می توانید از مراحل تعمیر کالای خود مطلع شوید.



راهنمای نام گذاری محصولات QPLUS



2 MEGA PIXEL ECONOMIC AHD CAMERA



PL-AHC-D256P1-E

- CMOS Progressive 1/4"
- 1080P@25fps
- Fixed 2.8mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 1 POWER LED, 30M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- PLASTIC, IP66, 12cm*11cm*7cm



PL-AHC-B2149A6-E

- CMOS Progressive 1/4"
- 1080P@25fps
- Fixed 2.8mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19.5cm*6cm*6cm



PL-AHC-D218S18-E

- CMOS Progressive 1/4"
- 1080P@25fps
- Fixed 2.8mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm



PL-AHC-B2110A6-E

- CMOS Progressive 1/4"
- 1080P@25fps
- Fixed 2.8mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- PLASTIC, IP66, 17.5cm*6.5cm*6.5cm

2 MEGA PIXEL AHD CAMERA



PL-AHC-B2158A6-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 20cm*8cm*6cm



PL-AHC-B2663A6-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19cm*6cm*6cm



PL-AHC-B2618S18-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 17cm*6.5cm*6cm



PL-AHC-B2190S18-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19.5cm*5.7cm*6cm

2 MEGA PIXEL AHD CAMERA



PL-AHC-B2627S18-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19.5cm*7.7cm*3.5cm



PL-AHC-B2610S24-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 24 SMD, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19cm*6.2cm*6.5cm



PL-AHC-B2730A8-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 8 ARRAY, 50M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, Big case, 25.5cm*7.5cm*7.5cm



PL-AHC-VB2733A8-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- VARIOFOCAL 2.8mm-12mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 8 ARRAY, 50M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, Big case, 25.5cm*7.5cm*7.5cm

2 MEGA PIXEL AHD CAMERA



PL-AHC-D239F36-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR- 36*5mm LED, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm



PL-AHC-D2633F15-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/ 3MP
- OSD Menu by UTC (4in 1)
- IR-15*5mm LED, 30M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, IK07, 10.5cm*8.5cm*7.5cm



PL-AHC-F2360P3-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 1.8mm/ 5MP
- OSD Menu by UTC (4in 1)
- IR- 3 POWER LED, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- PLASTIC, IP66, 18.5cm*5.5cm*6cm



PL-AHC-P2200-F

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.7mm/ 3MP
- OSD Menu by UTC (4in 1)
- N/A
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 4cm*4cm*1.5cm

2 MEGA PIXEL AHD CAMERA



PL-AHC-B2655A6-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6 mm/3MP
- OSD Menu by UTC (4in 1)
- IR- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 18.5cm*6.5cm*6.5cm



PL-AHC-D239F36-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6mm/3MP
- OSD Menu by UTC (4in 1)
- IR- 36*5mm LED, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm



PL-AHC-B2775P4-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6 mm/3MP
- OSD Menu by UTC (4in 1)
- IR- 4 POWER LED, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, Big case, 30cm*7cm*8.5cm



PL-AHC-B2627S18-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- Fixed 3.6 mm/3MP
- OSD Menu by UTC (4in 1)
- IR-18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 18.5cm*6cm*5.5cm

2 MEGA PIXEL SUPER STARLIGHT AHD CAMERA



PL-AHC-BS2180W-H

- CMOS Progressive 1/2.8" sony IMX307+ FH8550
- 2MP@30fps
- YTOT Fixed 4mm/ F0.1/ 5MP
- OSD Menu by UTC (4in 1)
- **StarLight**
- BLC/HLC/AGC/AWB/3DNR/WDR
- METAL, IP66, 19cm*6cm*6cm

2 MEGA PIXEL WARM LIGHT AHD CAMERA



PL-AHC-BW2650A6-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 6 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19.5cm*6.5cm*6cm



PL-AHC-BW2618S18-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 18 SMD, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 17cm*6.5cm*6cm



PL-AHC-BW2654A4-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 18cm*6.3cm*6.3cm



PL-AHC-BW2642A2-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 2 ARRAY, 30M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 20cm*6.9cm*6cm

2 MEGA PIXEL WARM LIGHT AHD CAMERA



PL-AHC-BW2688A4-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 18.5cm*6.5cm*5.5cm



PL-AHC-BW2660A4-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 19cm*6c*6.2cm



PL-AHC-BW2950A5-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 5 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, Big case, 31cm*8.5cm*8.5cm



PL-AHC-DW252A2-N

- CMOS Progressive 1/2.9"
- 1080P@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 2 ARRAY, 30M
- BLC/HLC/AGC/AWB/2D&3D-DNR/ICR/D-WDR
- METAL, IP66, 8cm*6c*10cm

5 MEGA PIXEL AHD CAMERA



PL-AHC-B5618S18-S

- CMOS Progressive 1/3"
- 5MP@15fps
- Fixed 3.6mm/ 5MP
- OSD Menu by UTC (4in 1)
- IR-18 SMD, 35M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 17cm*6.5cm*6cm



PL-AHC-D539F36-S

- CMOS Progressive 1/3"
- 5MP@15fps
- Fixed 3.6mm/ 5MP
- OSD Menu by UTC (4in 1)
- IR- 36*5mm LED, 40M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm

5 MEGA PIXEL WARM LIGHT AHD CAMERA



PL-AHC-BW5654A4-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 18cm*6cm*6cm



PL-AHC-BW5688A4-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 18.5cm*6.5cm*5.5cm

5 MEGA PIXEL WARM LIGHT AHD CAMERA



PL-AHC-BW5660A4-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 ARRAY, 35M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 18.5cm*7cm*6cm



PL-AHC-BW5760P4-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 4 POWER LED, 40M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, Big Case, 30cm*9cm*8.5cm



PL-AHC-BW5950A5-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 5 ARRAY, 40M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, Big Case, 31cm*8.3cm*8.5cm



PL-AHC-DW552A2-S

- CMOS Progressive 1/3"
- 5MP@15fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- OSD Menu by UTC (4in 1)
- WarmLight- 2 ARRAY, 30M
- BLC/HLC/AGC/AWB/2D-NR/ICR/D-WDR
- METAL, IP66, 8cm*6cm*10cm

4 MEGA PIXEL NETWORK CAMERA



PL-IPC-B4663A6-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- IR- 6Array, 40M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 19cm*6cm*6cm



PL-IPC-B4610S24-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- IR-24 SMD, 40M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 19cm*6.2cm*6.5cm



PL-IPC-B4780F42-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- IR-42 LED, 40M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, Big case, 25cm*7.5cm*7.5cm



PL-IPC-B4190PS18-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP/ Onvif / PoE
- IR-18 SMD, 35M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 19.5cm*5.7cm*6cm

4 MEGA PIXEL NETWORK CAMERA



PL-IPC-D452A2-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- IR- 2Array, 30M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 9.5cm*6cm*6cm



PL-IPC-D4633PF15-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif / PoE
- IR- 15 LED, 30M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, IK07, 10.5cm*8.5cm*7.5cm



PL-IPC-P4200-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- N/A
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 4cm*4cm*1.5cm



PL-IPC-D256P1-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- Fixed 3.6mm/ 4MP
- IP / Onvif
- IR- 1 POWER LED, 30M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- PLASTIC, IP66, 12cm*11cm*7cm

4 MEGA PIXEL WARM LIGHT NETWORK CAMERA



PL-IPC-DW439A6-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif
- WarmLight- 6Array, 40M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm



PL-IPC-DW4642PA2-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif / PoE
- WarmLight- 2Array, 30M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 9.5cm*6cm*10cm



PL-IPC-BW4632A4-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif
- WarmLight- 4Array, 35M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 18.5cm*6.7cm*6.3cm



PL-IPC-BW4688A4-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif
- WarmLight- 4Array, 35M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 18.5cm*6.5cm*5.5cm

4 MEGA PIXEL DUAL LIGHT NETWORK CAMERA



سری هوشمند AI

PL-IPC-BU4160A6-R

- CMOS Progressive 1/2.9"
- 4MP@25fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif / Human Detection
- DualLight- 6Array, 40M
- BLC/HLC/AGC/AWB/3DNR/D-WDR
- METAL, IP66, 18cm*6cm*6cm

5 MEGA PIXEL WARM LIGHT NETWORK CAMERA



PL-IPC-BW5688HA4-L

- CMOS Progressive 1/2.8"
- 5MP@30fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif
- WarmLight-4 Array, 35M
- BLC/HLC/AGC/AWB/3DNR/ Human Detection/WDR/HDR
- METAL, IP66, 18.5cm*6.5cm*5.5cm



PL-IPC-BU5632HA4-L

- CMOS Progressive 1/2.8"
- 5MP@30fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif / HumanDetection
- DualLight-4 Array, 35M
- BLC/HLC/AGC/AWB/3DNR/Human Detection/WDR/HDR
- MEALE, IP66, 18.5cm*6.7cm*6.3cm



PL-IPC-MB5780HF42-L

- CMOS Progressive 1/2.8"
- 5MP@30fps
- Motorized 2.7mm-13.5mm /5MP
- IP / Onvif
- IR-42 LED, 50M
- BLC/HLC/AGC/AWB/3DNR/Human Detection/WDR/HDR
- METAL, IP66, Big case, 25cm*7.5cm*7.5cm



PL-IPC-DW552HA2-L

- CMOS Progressive 1/2.8" s
- 5MP@30fps
- YTOT Fixed 4mm/ F1.2/ 5MP
- IP / Onvif
- WarmLight-2 Array, 30M
- BLC/HLC/AGC/AWB/3DNR/ Human Detection /WDR/HDR
- METAL, IP66, 9.5cm*6cm*6cm

5 MEGA PIXEL SUPER STARLIGHT NETWORK CAMERA

PL-IPC-BS5610H-L

- CMOS Progressive 1/2.9"
- 5MP@30fps
- YTOT Fixed 4mm/ F0.1/ 5MP
- IP / Onvif
- StarLight
- BLC/HLC/AGC/AWB/3DNR/ Human Detection/WDR/HDR
- METAL, IP66, 19cm*6.2cm*6.5cm



PTZ AHD / NETWORK CAMERA



PL-AHC-S2736P10L2

- CMOS, 2.0MP
- 2MP@20fps
- Motorized optical 36X
ZOOM/4.6_160mm
- OSD Menu by UTC (4in 1)
- SMART IR+ LASER,150M-180M
- BLC/WB/AGC/AWB/NR=52db/220
Preset Points,Auto temperature control, Time Scheduling Function, Coaxial Control, Tour, Patrol
- METAL, IP66



PL-IPC-S3736P10L2

- CMOS 1/2.9", 3.0MP
- 3MP@20fps
- Motorized optical 36X
ZOOM/4.6_160mm
- IP / Onvif
- SMART IR+ LASER,150M-180M
- BLC/WB/AGC/AWB/NR=52db/220
Preset Points,Auto temperature control, Time Scheduling Function, Tour, Patrol
- METAL, IP66



PL-IPC-S4736P10L2

- CMOS,1/2.9", 4.0MP
- 4MP@30FPS
- Motorized optical 36X
ZOOM/4.6_160mm
- IP / Onvif
- SMART IR+ LASER,150M-180M
- BLC/WB/AGC/AWB/NR=52db/220
Preset Points, Auto temperature control,Time Scheduling Function, Tour, Patrol
- METAL, IP66



PL-IPC-SW4736P6L2

- CMOS 1/2.8" , 4.0MP
- 4MP@30FPS
- Motorized optical 36X
ZOOM/4.6_160mm
- IP / Onvif
- WarmLight+ LASER SMART IR,150M
- BLC/WB/AGC/AWB/2D&3D-NR=52db/ 220 PresetPoints, Auto temperature control, Time Scheduling Function Baud rate=1200/2400/4800/9600bps, Tour, Patrol
- METAL, IP66

XVR



5Mp-N
HD

PL-XVR-N5104-N-Mi2

- 4Ch*5M-N@20fps (6 in 1)/ H.265+
- 2*5M-N@20fps Playback
- 4Ch Audio
- hybrid: (analog) 4*5MP-N+ (IP) 2*1080P
- 1*SATA ports (Max 14TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Face&Motion Detection, 2Way Talk, WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



5Mp-N
HD

PL-XVR-N5108-N-Mi2

- 8Ch*5M-N@12fps (6 in 1)/ H.265+
- 4*5M-N@12fps Playback
- 4Ch Audio
- hybrid: (analog) 8*5MP-N + (IP) 4*1080P
- 1*SATA ports (Max 14TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Face&Motion Detection, 2Way Talk, WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



5Mp-N
HD

PL-XVR-N5216-N-Mi2

- 16Ch*5M-N@6fps (6 in 1)/ H.265+
- 8*5M-N@6fps Playback
- 2Ch Audio
- hybrid: (analog) 16*5M-N + (IP) 4*1080P
- 2*SATA ports (Max 14TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Face&Motion Detection, 2Way Talk, WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



5Mp-N
HD

PL-XVR-H5104-N-M

- 4Ch*5M-N@15fps (6 in 1)/ H.265X
- 4*5M-N@15fps Playback
- 4Ch Audio
- hybrid: (analog) 4*1080N+ (IP) 4*960P
- 1*SATA ports (Max 8TB/per)
- VGA, HDMI, BNC Video Output
- Penta-brid, Onvif, UTC, Motion Detection, 2Way Talk
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)

XVR



1080N
HD

PL-XVR-H2108-N-M

- 8Ch* 1080 N@ 25fps, 4Ch*5MP-N@15fps (6 in 1)/ H.265X
- 8*1080 N@ 25fps, 2*5MP-N@15fps Playback
- 4Ch Audio
- hybrid: (analog) 2*1080P + (IP) 2*1080P
- 1*SATA ports (Max 8TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Motion Detection, 2Way Talk
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



5Mp-N
HD

PL-XVR-H5108-N-Mi2

- 8Ch*5M-N@15fps/ H.265X
- 4*5M-N@15fps /4*1080P@15fps/8*1080N@12fps Playback
- 4Ch Audio
- hybrid: (analog) 4*1080N+ (IP) 4*960P
- 1*SATA ports (Max 8TB/per)
- VGA, HDMI full HD output
- Penta-brid, Onvif, UTC, Face&Motion Detection, 2Way Talk, 4G/WIFI
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



1080N
HD

PL-XVR-H2216-N-M

- 16Ch* 1080-N@ 15fps(6 in 1)/ H.265
- 16* 1080-N@ 15fps Playback
- 2Ch Audio
- hybrid: (analog) 8* 1080 N+(IP) 8* 960 P
- 2*SATA ports (Max 8TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Motion Detection, 2Way Talk, WIFI
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



5Mp-N
HD

PL-XVR-H5232-N-Fi2

- 32Ch*5M-N@6fps/32*4M-N@8fps (6 in 1) H265+
- 8*5M-N@6fps, 16*4M-N@8fps Playback
- 16Ch Audio
- hybrid: (analog) 8*1080N + (IP) 8*960P
- 2*SATA ports (Max 8TB/per)
- VGA, HDMI full HD, BNC Video Output
- Penta-brid, Onvif, UTC, Face&Motion Detection, 2Way Talk, 3G, WIFI
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)

NVR



4K
ULTRA HD

PL-NVR-H8110-4K-Qi2

- 10Ch*4K/8MP @ H.265AI/ H.265+
- Playback: 4K(1)/5M(1+1)/4M(2+1)/3M(3+1)/1080P(5+1)
- 60Mbps
- 1 SATA(Up to 14TB for each disk)
- VGA, HDMI full HD
- human shape/ Face&Motion Detection, onvif, 4G-WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



4K
ULTRA HD

PL-NVR-H8116-4K-Qi2

- 16Ch*4K/8MP@ H.265AI/H.265+
- Playback: 4K(1)/5M(1+1)/4M(2+1)/3M(2+2)/1080P(4+2)
- 72Mbps
- 1 SATA(Up to 14TB for each disk)
- VGA, HDMI HD output
- human shape/ Face&Motion Detection, onvif, 4G-WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



4K
ULTRA HD

PL-NVR-H8232-4K-Li2

- 32Ch*4K/8MP@H.265AI/H.265+
- Playback: 4K(1+2)/5M(2+3)/4M(2+5)/3M(3+6)/1080P(5+9)
- 240Mbps
- 2 SATA(Up to 14TB for each disk)
- VGA, HDMI HD output
- human shape/ Face&Motion Detection, onvif, 4G-WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)



4K
ULTRA HD

PL-NVR-N8232-4K-Li2

- 32Ch*4K/8MP@H.265AI/H.265+
- Playback: 4K(1+2)/5M(2+3)/4M(2+5)/3M(3+6)/1080P(5+9)
- 240Mbps
- 2 SATA(Up to 14TB for each disk)
- VGA, HDMI HD output
- human shape/ Face&Motion Detection, onvif, 4G-WiFi
- P2P Support: IOS,Android App (XMeye) PC Software(CMS)

SWITCHING



5 A Switching Power Supply

- InputVoltage : 100 - 240 V~
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current : 5A
- Output power : 60 W
- Protections : Short-circuit, Overload, Over voltage, Discharge



10A Switching Power Supply

- InputVoltage : 100 - 240 V~
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current : 10A
- Output power : 120 W
- Protections : Short-circuit, Overload, Over voltage, Discharge



15A Switching Power Supply

- InputVoltage : 100 - 240 V~
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current : 15A
- Output power : 180 W
- Protections : Short-circuit, Overload, Overvoltage, Discharge



20A Switching Power Supply Cooling With Internal Fan

- InputVoltage : 100 - 240 V~/4.5A
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current : 20A
- Output power : 240 W
- Cooling System : Internal Fan
- Protections : Short-circuit, Overload, Over voltage, Discharge



30A Switching Power Supply Cooling With Internal Fan

- InputVoltage : 100 - 240 V~/5.5A
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current : 30A
- Output power : 360 W
- Cooling System : Internal Fan
- Protections : Short-circuit, Overload, Over voltage, Discharge

ADAPTER

Qplus 2A CCTV Adapter

- InputPower : 100 - 240 V~/0.8A
- Input AC frequency : 50Hz / 60Hz
- Output voltage : DC 12.0 V
- Output current/power : 2.2A/26W
- Nominal current/Power : 2.8A/33W



CONNECTOR



Qplus pressing BNC Connector

- BNC Connector Type : Pressing
- Impedance : 50-75 ohm
- Material : Center: Copper, Contact: Beryllium Copper/Nickel



Qplus Screw-On BNC Connector

- BNC Connector Type : Screw-On
- Impedance : 50-75 ohm
- Material : Center: Copper, Contact: Beryllium Copper/Nickel



Qplus Male RCA to Female BNC

- Body Orientation : Straight
- Contact Material : Brass
- Converts From Gender : Male
- Converts To Gender : Female
- Converts To Type : BNC



Qplus RCA connector

- Connector type : RCA Male
- Connector plating : Nickel Plated
- Material : Metal
- Colour : Golden&Silver

CONNECTOR / MIC



Qplus Female RCA to Male BNC

- Body Orientation : Straight
- Contact Material : Brass
- Converts From Gender : Female
- Converts To Gender : Male
- Converts To Type : BNC



DC Power Male & Female Cable

- Product type : DC Power Male&Female Cable
- Use for : for CCTV Security Camera
- Power Adapter Connectors
- Material : Metal&PVC
- Metal material : Pre-tinned copper clad
- Insulator Material : PVC



CCTV Golf Ball Mic

- Voltage : 12VDC
- Current Consumption : 20mA
- Enclosure Design : Concave/Omnidirectional Sound Capture
- Monitoring Range : 5 to 50 square meter
- Output Impedance : 600Ω



CCTV Cube Mic

- Voltage : 12VDC
- Current Consumption : 18mA
- Enclosure Design : Cubic Omnidirectional Sound Capture
- Monitoring Range : 5 to 80 square meter
- Output Impedance : 600Ω
- Dynamic Range : 35dB (1KHz at max dB SPL)

CABEL



PL-C796P12

- Cable type : Mixed Coaxial Cable- RG59
- Brand : Qplus
- Cut Surface/Number of shield strings : 0.7mm/96 Strings
- Power cable Cut Urface : 0.37mm
- Material of Power cable : Multi core CCA wire
- Material core shield : wire copper/ Copper Clad Aluminum(CCA)
- Packing type : Cable reels/ wood reels+Cartoon Paking
- Length : 100M
- Impedance : 75Ω



PL-C796P12

- Cable type : Mixed Coaxial Cable- RG59
- Brand : Qplus
- Cut Surface/Number of shield strings : 0.7mm/96 Strings
- Power cable Cut Urface : 0.37mm
- Material of Power cable : Multi core CCA wire
- Material core shield : wire copper/ Copper Clad Aluminum(CCA)
- Packing type : Cable reels/ wood reels+Cartoon Paking
- Length : 305M
- Impedance : 75Ω



PL-C796P20

- Cable type : Mixed Coaxial Cable RG-59
- Brand : Qplus
- Cut Surface/Number of shield strings : 0.7mm/96 Strings
- Power cable Cut Urface : 0.5mm
- Material of Power cable : Multi core CCA wire
- Material core shield : plain copper/ Copper Clad Aluminum(CCA)
- Packing type : Cable reels/ wood reels+Cartoon Paking
- Length : 100M
- Impedance : 75Ω



PL-C796P20

- Cable type : Mixed Coaxial Cable RG-59
- Brand : Qplus
- Cut Surface/Number of shield strings : 0.7mm/96 Strings
- Power cable Cut Urface : 0.5mm
- Material of Power cable : Multi core CCA wire
- Material core shield : plain copper/ Copper Clad Aluminum(CCA)
- Packing type : Cable reels/ wood reels+Cartoon Paking
- Length : 305M
- Impedance : 75Ω



PL-C796

- Cable type : Coaxial Cable
- Brand : Qplus
- Cut Surface/Number of shield strings : 0.7mm/96 Strings
- Material core shield : plaincopper/Copper Clad Aluminum(CCA)
- Packing type : Wood reels+ Carton Packing
- Length : 500M
- Impedance : 75Ω

CABEL



PL-UT645

- Cable type : Network Cable
CAT6/UTP
- Brand : Qplus
- Material : plain copper/UTP/
- Twisted Pair/4Pair
- Packing type : Plastic reels
Carton Packing
- Length : 305M



PL-UT652T

- Cable type : Network Cable
CAT6/UTP
- Brand : Qplus
- Material : plain copper/UTP/
- Twisted Pair/4Pair
- Packing type : Plastic reels
Carton Packing
- Length : 305M



PL-SF645

- Cable type : Network Cable
CAT6/SFTP
- Brand : Qplus
- Material/Core shield : plain copper/
Copper Clad Aluminum(CCA)
- Twisted Pair/4Pair
- Packing type : Plastic reels
Carton Packing
- Length : 305M



PL-SF652T

- Cable type : Network Cable
CAT6/SFTP
- Brand : Qplus
- Material/Core shield : plain copper/
Copper Clad Aluminum(CCA)
- Twisted Pair/4Pair
- Packing type : Plastic reels
Carton Packing
- Length : 305M





